

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/579577	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:30
S2	2	"20080040358"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:30
S3	1	PCT/CN04/01320	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:31
S4	1	"20080040358" and ((number\$1 near3 partition \$1) same (descriptor\$1 ) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 14:53
S5	26	(( ( used or old ) near5 (chip \$1 or memory ) ) same ((combin\$3 or configur\$3 or reconfigur\$3 ) with ( file\$1 near5 system\$1 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:07
S6	113	707/823.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09
S7	40	707/824.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09

S8	0	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:09
S9	39	((removable near5 (memor\$3 or device\$1) ) same ((combin\$3 or configur\$3 or reconfigur\$3 ) with ( file\$1 near5 system\$1) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/07 15:21
S10	2	"6182159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 09:33
S11	2	"5812414".pn. and (determin\$3 or check\$3)\	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:56
S12	2	"5812414".pn. and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:56
S13	2	"20100031804" and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 10:59
S14	2	"20070120860" and (determin\$3 or check\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:01
S15	2717	(( (used or old ) near2 (chip\$1 or memory ) ) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:04

S16	52	(( (determin\$3 or check\$3 ) near5 ( (used or old ) near2 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:05
S17	3	(( (determin\$3 or check\$3 ) near5 ( (condition\$1 ) near2 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:11
S18	63	(( (determin\$3 or check\$3 ) near5 ( (existing or current) near5 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:14
S19	83	(( (determin\$3 or check\$3 ) near5 ( (new or used) near3 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:23
S20	12	(( (determin\$3 or check\$3 ) near5 ( (new ) near3 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:24
S21	83	(( (determin\$3 or check\$3 ) near5 ( (new or used ) near3 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:36
S22	54	(( (determin\$3 or check\$3 ) near5 ( (new or used ) near2 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:36
S23	4	(( (determin\$3 or check\$3 ) near5 ( (new or old ) near2 (chip\$1 or memory ) )) same ((configur\$3 or reconfigur\$3 ) ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:40

S24	203	(( (determin\$3 or check\$3 ) near5 ( (condition ) near2 (chip\$1 or memory ) )) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S25	680	(( (determin\$3 or check\$3 ) near5 ( (condition ) near2 (chip\$1 or memory ) )) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S26	415	(( (determin\$3 or check\$3 ) near2 ( (condition ) near2 (chip\$1 or memory ) )) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S27	257	(( (determin\$3 or check\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) )) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S28	186	(( (determin\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) )) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:41
S29	7	(( (determin\$3 ) near1 ( (condition ) near2 (chip\$1 or memory ) )) with (used or new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:42
S30	37	(( (determin\$3 ) near1 ( (condition ) near5 (chip\$1 or memory ) )) with (used or new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:43
S31	12	(( (determin\$3 ) near1 ( (condition ) near5 (chip\$1 or memory ) )) with (new or old ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:44

S32	474	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) with (new or old ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45
S33	219	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near5 (new or old ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45
S34	124	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near3 (new or old ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:45
S35	238	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near3 (condition\$1 ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S36	173	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near2 (condition\$1 ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S37	95	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near1 (condition\$1 ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:47
S38	317	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near1 (new or used ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:53
S39	33	(( (determin\$3 ) near1 ( (chip\$1 or memory ) ) near1 (new ) ) and @ad< "20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:54

S40	2	"4485477".pn. and (new or used old or existing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:56
S41	0	(( (determin\$3 ) near1 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S42	0	(( (determin\$3 ) near2 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S43	0	(( (determin\$3 ) near5 ( use near2 condition near2 (memory or chip\$1) ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S44	0	(( (determin\$3 ) near5 ( use near2 condition ) ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 11:59
S45	0	use near2 condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:00
S46	1	"5267242".pn. and (new or used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:02
S47	1	"5267242".pn. and (new or used or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 12:04

S48	0	"5267242".pn. and (address\$3 same capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:09
S49	1	"5267242".pn. and ((physical near3 address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:09
S50	1	"5812414".pn. and ((physical near3 address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:10
S51	1	"5812414".pn. and (( address\$3) or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:11
S52	0	"5812414".pn. and (address same capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:12
S53	1	"5812414".pn. and (address and capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:12
S54	2	"6182159".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:23
S55	0	"6182159".pn. and (error\$1 or exceed\$3 or beyond)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:42

S56	392	(error\$1 same memory same capacity same address \$3 ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:44
S57	30	(error\$1 with memory with capacity with address\$3 ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:44
S58	0	(error\$1 with memory with capacity with (physical near2 address\$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:48
S59	10	(error\$1 same memory same capacity same (physical near2 address \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:49
S60	2	(error\$1 same exceed\$3 same capacity same (physical near2 address \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 17:54
S61	0	"6182159".pn. and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:09
S62	1	"6182159".pn. and replac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:10
S63	6	(replac\$3 with chip\$1 with power with off ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:12



S64	118	((replac\$3 with chip\$1 with power ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:13
S65	4	((replac\$3 near5 chip\$1 ) with (power near5 off ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:14
S66	0	((replac\$3 near5 chip\$1 ) with (power near5 turn \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:14
S67	11	((replac\$3 near5 chip\$1 ) with (power near5 suppl \$3 ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:15
S68	14	((replac\$3 near5 chip\$1 ) same (power near5 off ) ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:18
S69	2	"20050223243"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:35
S70	1	"20050223243" and (encryp \$3 or decrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/08 18:36
S71	2077	(( (determin\$3 ) near1 ( (chip\$1 or memory ) )) with (new or old o used or unused ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:07

S72	1158	(( (determin\$3 ) near1 ( (chip\$1 or memory ) )) near5 (new or old or used or unused ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:07
S73	1061	(( (determin\$3 ) near1 ( (chip\$1 or memory ) )) near5 (new or old or used or unused ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:08
S74	12	(( (determin\$3 ) near1 ( (chip\$1 or memory ) )) near5 ((new near5 old) or (used near5 unused ) ) and @ad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:08
S75	2	(both near5 used near5 unused near5 memory ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:21
S76	3	(both with used with unused with memory ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:22
S77	8	(determin\$3 with (used or old) with (new or unused) with both with memory ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:24
S78	333	(determin\$3 with (used or old) with (new or unused) with memory ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:31
S79	48	(determin\$3 near5 (used or old) near5 (new or unused) near5 memory ) and @rlad<"20030601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:32

S80	133	707/823.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:38
S81	51	707/824.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:38
S82	2	"5566314".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/31 11:40

**1/31/2011 1:17:11 PM****C:\Documents and Settings\dmyint\My Documents\EAST\Workspaces\10-579-577\_\_1.wsp**